


SPEC STORE ROOM CASES
SCALE 1/4"-1'-0"




SPEC. D-1961 FUME HOODS.

ORGANIC LAB ONLY TO HAVE KJELDAHL COMPARTMENT ON RIGHT END. ALL OTHER BATTERIES OF HOOD IN OTHER LABORATORIES TO BE SAME AS ELEV. BUT OMIT KJELDAHL APPARATUS.




KEY TO PLUMBING

| | | | |
|---|---|---|---|
| CW = 1½" | COLD WATER | PIPE INSIDE DIAM. | GALV. IRON |
| HW = 1½" | HOT | " " " | " " |
| G = ¾" | GAS | " " " | BLACK " |
| A = ⅜" | AIR | " " " | GALV. " |
| W = 1½" | WASTE | " " " | LEAD |

2"x2½" DIAM. FLUE OPENING IN CEILING
EXCEPT EXHAUSTERS WITH CAPACITY OF 1500 C.F.M. AIR REMOVAL
E = ¾" & 1½" ELEC. CONDUIT TO FLOOR
AC = ½" ALTERNATING CURRENT CONDUIT TO FLOOR
DC = ½" DIRECT " " " "

PRIVATE LABORATORY TABLES ON THIS FLOOR TO HAVE CUTOUTS IN TOP 8'-4" X 5" WIDE FOR TRANE HEATERS.

# THIRD - FLOOR - PLAN -
SCALE 1/4"-1'-0"

## - SCIENCE - BUILDING -
FOR
## - TUSKEGEE - NORMAL - & - INDUSTRIAL - INSTITUTE -
TUSKEGEE - ALABAMA -

R. R. TAYLOR, DIRECTOR OF INDUSTRIES
L. H. PERSELY, HEAD
ARCHITECTURAL & MECHANICAL DRAWING
DIVISION - ARCHITECTS -

| DRAWN BY | NO. | DATE | R. R. TAYLOR 1931 | SHEET |
|---|---|---|---|---|
| TRACED | 10 | 2-28-31 | Revised 12-11-1931 | 3 |
| | 11 | 10-20-31 | " 12-21-31 | |
| | 11 | 11-18-31 | " 1-23-32 | |
| | 1 | 12-24-31 | | |