



FURNITURE CONTRACTOR NOTE

WHERE RADIATORS COME IN PRIVATE LABORATORIES OR CLASSROOMS UNDER WALL TABLES, A TRAME HEATER SHALL BE INSTALLED, REQUIRING A CUTOUP IN TABLE TOP 4'-4" TO 4'-6" LONG X 8" WIDE, WITH 2" HIGH RIM AROUND OPENING IN TABLE. FURNITURE CONTRACTOR TO FURNISH ABOVE TYPE HEAT DEFLECTOR FULL LENGTH OF HEATER AND EXTEND TO BOTTOM OF HEATER AT EACH OF TABLE. CUTOUPS ON SECOND FLOOR TO BE 4'-4" LONG X 4" WIDE, THIRD " " 5'-4" " X 5" " "

DETAIL OF TRAME HEATERS BEHIND ALL PRIVATE LABS WILL TIERS.

2ND FLOOR  
 PRIV. LAB. GEN. CHEM. CHEM. WANTED. ADD AIR SINK AT LEFT  
 QUANT. . . . . LEFT  
 QUAL. . . . . RIGHT  
 ORGANIC . . . . . LEFT

2ND FLOOR  
 PRIVATE LAB  
 SPEC. WALL TABLES 'A'  
 PHYSIOLOGY CHEM. WANTED  
 BIOLOGY  
 ZOOLOGY  
 BACTERIOLOGY

SECOND FLOOR PLAN  
 SCIENCE BUILDING  
 TOSNIGHT - NORMAL & INDUSTRIAL INSTITUTE  
 TOSKEGEE ALABAMA

R.D. TAYLOR, DIRECTOR OF INDUSTRIAL ARCHITECTURAL & MECHANICAL DRAWING DIVISION ARCHITECTS